# **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau




#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:	İ	(11) International Publication Number: WO 98/40823
G06F 13/00	A1	(43) International Publication Date: 17 September 1998 (17.09.98)
(21) International Application Number: PCT/US(22) International Filing Date: 4 March 1998 (		DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
(30) Priority Data: 08/815,690 12 March 1997 (12.03.97)	τ	Published  With international search report.  Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.
(71) Applicant: ELONEX PLC [GB/GB]; 2 Apsley Way, NW2 7LF (GB).	, Londe	
(71)(72) Applicant and Inventor: KIKINIS, Dan [CH/US Ljepava Drive, Saratoga, CA 95070 (US).	i]; 2026	
(74) Agent: BOYS, Donald, R.; P.O. Box 187, Aromas, C (US).	:A 9500	

## (54) Title: METHOD FOR COLLECTING URLs FROM PRINTED MEDIA

#### (57) Abstract

A method for providing Universal Resource Locators (URLs) to potential users of the URLs (13) has the URLs (13) presented as machine-readable code in visible media, such as advertisements in newspapers (7) and magazines and in TV presentations. A machine reader, such as a bar code reader (9), connected to a computer (15) having a WEB browser application, is used to acquire the URL (13), and the acquired URL (13) is provided to the WEB browser application in the computer (15). In some cases the URL (13) is stored for future use, and in other cases the URL (13) is used immediately to direct the computer (15) or connect to the Internet Server storing the WEB page associated with the URL (13), and to download and display the WEB page, URLs (13) may be numeric code associated with URLs (13) in a table accessible on a Server on the Internet, printed or otherwise displayed bar code, magnetic ink, and other sorts of machine-readable code.



# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	1.T	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal ·
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Paso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belanus	IS	Iceland	MW	Malawi	US	United States of America
CA.	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NB	Niger	VN	Viot Nam
CG	Congo	KE	Кепуа	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI.	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kezakstan	RO	Romania		
cz	Czech Republic	LC -	Saint Lucia	RU	Russian Federation		
DE	Germany	น	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
RE	Batonia	LR	Liberia	SG	Singapore		

WO 98/40823 PCT/US98/04204

# Method for Collecting URLs from Printed Media

5

10

25

30

#### Field of the Invention

The present invention is in the field of data collection devices, and has particular application to devices and systems for reading and scanning media for the purpose of storing information on a computer.

#### Background of the Invention

In the present age of the Internet, companies offering products or services for sale are creating what are known as Web sites on the Internet World Wide Web (WWW. These Web sites are accessible on the WWW by addresses termed Universal Resource Locators (URL)..

Consumers who prefer to shop from their homes and corporate entities engaged in buying and trading with other corporations are targets for URLs published in printed media and presented in television programs

and advertisements by companies who see Web sites as a viable sales

tool.

A URL address is a complex string of characters that includes punctuation marks and separators. A URL can sometimes be quite long when compared to conventional codes used with computers, such as document paths. The character string that is a URL is designed to interact with computer software programs that are meant to act as navigation aids for users attempting to locate or "travel" to a desired destination on the Internet. These software programs are typically known as browsers. A standard URL contains language symbolized by

WO 98/40823 PCT/US98/04204

the various characters in the string, and must be interpreted by the browser in order to take the user to the site. This information includes type of protocol, document path, host computer identification, and other information as may be needed, to identify subject matter, company name, or type of product or service.

5

10

15

20

25

30

Typically, a user will manually type a URL into a field in a display provided by the navigating software. Typically by pressing enter on the keyboard after a URL is entered, the address URL) is submitted to the browser, activating the communication mode. When the host computer responds, data is downloaded and a Web page is displayed on the user's screen. In virtually all cases, the user is expected to know the URL before he can submit it. This can be a problem as navigation software cannot interpret a URL that has been entered incorrectly. Also, some URL's are very long and complicated, as described previously, making it even more difficult for most users to enter the URL error free. Copying a complicated URL from an advertisement in print or remembering it from seeing it briefly on television can be frustrating; especially if the characters are blurred or wrinkled, or otherwise compromised.

What is clearly needed is a system methodology, including software, compatible with existing technology, that would allow a user to scan and retrieve a URL and related information from a printed document or television screen, and transmit such information directly to a personal computer. A system with this capability could eliminate human error as it relates to manually typing URL's, and other manual operations required to present this information to a suitable browser.

5

10

15

20

25

30

#### **Summary of the Invention**

In a preferred embodiment of the present invention, a method for providing a Universal Resource Locators (URL) comprising a character string to a computer user is provided, comprising steps of (a) converting the character string to a machine-readable indicia; and (b) presenting the machine-readable indicia in a visible media available to the computer user. The machine-readable indicia may a bar code, and the bar code may provided on a printed presentation. Such bar codes may also presented in at least one frame of a television presentation.

In some embodiments the URL is converted to a numeric code of fewer numerals than the number of characters of the character string of the URL, and the numeric code is converted into machine-readable indicia and presented in a visible media.

In another aspect of the invention, a method for acquiring a Universal Resource Locator (URL) for a browser application on a computer is provided, comprising steps of (a) reading the URL from a visible media with a machine-reader; and (b) storing the URL in a file accessible to the browser application. In this aspect, the URL in visible media may be a bar code and the machine-reader in this instance is a bar code reader. Magnetic characters and a magnetic reader may also be used.

In yet another aspect of the invention, a method is provided for directing a Web-browser application running on a computer having an Internet connection to load and display a WEB page from an Internet Server. This method comprises steps of (a) acquiring a Universal Resource Locator (URL) for the WEB page by reading the URL from a visible media with a machine-reader having a communication link to the computer; (b) providing the URL to a browser application running on the computer: and (c) directing the browser to connect to Internet Server over the Internet connection and to download and display the WEB

page. Again the machine-reader may be a bar code reader and the URL a bar code representing the URL. The machine-reader may be a magnetic character reader, and the URL provided in magnetic ink in print media.

5

10

15

In yet another aspect a method is provided for acquiring a Universal Resource Locator (URL) for use in directing a WEB browser application to download and display a WEB page, comprising steps of: a) reading a numeric code in visible media with a machine-reader connected to a computer running a WEB browser application; (b) connecting to an Internet Server having a table of URLs associated with numeric codes; and (c) retrieving and storing the URL associated with the numeric code from the table. In some embodiments a further step (d) directs the computer to connect to the Internet Server having a WEB page associated with the URL and to download and display the WEB page.

In various embodiments of the invention methods are provided to allow quick and efficient acquisition of URLs, and to avoid human error in providing such URLs to a WEB browser.

#### **Brief Description of the Drawing Figures**

20

Fig. 1 is an illustration of an embodiment of the present invention, wherein a data collection device is shown reading a URL from a document while connected to a computer.

25

Fig. 2 is an illustration of software architecture as used in an embodiment of the present invention.

Fig. 3 is an illustration of an alternative embodiment wherein wireless communication is used, and the source document contains a URL that is both machine and human readable.

WO 98/40823 PCT/US98/04204

-5-

Fig. 4 is an illustration of yet another embodiment of the present invention wherein the source of information is television advertisement.

5

10

15

20

25

30

### **Description of the Preferred Embodiments**

Fig. 1 is an illustration of an embodiment of the present invention wherein a URL 13 is rendered as a standard bar code, and printed on a source document 7. In an embodiment of the present invention, the methodology is Optical Recognition (OR). A data collection device 9, which is in this embodiment a bar code reader. is used to scan the bar code, and the URL is read into the computer attached to the bar code reader.

Optical Recognition as it applies to bar coding, is a standard method used in many industries, such as retail, shipping, and warehousing. It has proven to be highly successful and virtually error free. In this embodiment of the present invention the bar code reader reads the bar code, which is a coded URL, and stores the URL on the connected computer associated with a Web browser program. Most such programs incorporate lists of URLs known in the art as bookmarks. Bookmarks are typically displayed as literal names rather than as URLs, and a user may select a bookmark by pointer and cursor techniques well known in the art, wherein the browser application relates the literal name to the associated URL, and broadcasts the URL. In a preferred embodiment, scanning a bar-coded URL enters the scanned URL into the browser's Bookmarks data base.

In another embodiment of the present invention, a code system is created for the purpose of expressing URLs 13 in numerical form,

allowing for a shorter span of bars and spaces compromising each printed code. A software step (shown in Fig. 2) could be added to convert the URL 13 back to it's original character-string form, allowing the browser to utilize the information. In another embodiment individual URLs 13are registered at a separate site (server) on the WWW known by the navigating software. At this location, URLs are associated with numeric code, as suggested above. URLs entered as numeric code are broadcast to an Internet server, which compares the numeric code with a database, and returns the URL character string. URLs may be decoded and read by the browser and downloaded to computer 15, or utilized for further navigation. Companies who provide OR products and services routinely customize bar codes to adapt to specific field requirements.

5

10

15

20

25

30

It will be apparent to one with skill in the art that there are many ways to customize and standardize bar code sequences utilizing software and customer support operations that may provide decoding areas on the Internet or other such aids.

Fig. 2 is an illustration of software architecture as is used in a preferred embodiment of the present invention, wherein source document 7, containing URL 13, is scanned using data collection device 9. The scanned information is then transmitted to a URL data file in step 17. In an embodiment where Optical Recognition is used (bar coding), a URL conversion process is added in step 19 for decoding purposes. After converting the information, a navigator screen is displayed in step 21. A tool on the navigator screen in step 21 allows the user to retrieve converted URL's in step 23. An option is then presented allowing the user to store URL's in a bookmark file for repetitive accessing, or in a cache for later use. A desired URL can then be selected and a decision made to go to that destination in step 31. The navigating software will then automatically connect the user to the Internet and display the Web

WO 98/40823 PCT/US98/04204 - 7 -

page associated with the URL in step 33. Additional URLs can be accessed at any time from the bookmark file or the cache and submitted in step 31 resulting in a new Web pages in step 33. This process is achieved in a preferred embodiment of the present invention such that no typing on the keyboard is required.

5

10

15

20

25

30

It will be apparent to one with skill in the art that there are many ways software might be designed to interface with an existing or modified network navigator to achieve the desired results of eliminating the possibility of human error. For example, in one embodiment, the entire process may be wholly automated from the scan to the resulting Web page thereby eliminating any user interaction. This automated option could exist for users who desire to go directly to the Web page after each separate scan.

It will also be apparent to one with skill in the art that there are numerous methods of communication that may be utilized in transmitting scanned information from the media source to the computer such as, MICR (Magnetic Ink Character Recognition), OCR (Optical Character Recognition), OMR (Optical Mark Recognition) etc. Fig.'s 3 and 4, described below, will illustrate two of the many additional embodiments that are in accordance with the spirit and scope of the present invention.

Fig. 3 is an illustration of an embodiment of the present invention wherein source document 7 contains URL 13 printed in magnetic ink, to be read by data collection device 9 using the technology of MICR. In this embodiment, in accordance with the present invention, data collection device 9 is shaped like a pen and is equipped with a magnetic reader at the head. In another embodiment, the data collection device might be shaped differently so long as the magnetic reader can make sufficient contact with the printed surface. Also in this embodiment, the method of communication between data collection

WO 98/40823 PCT/US98/04204 - 8 -

5

10

15

20

25

device 9 and computer 15 is of a wireless form such as Infrared, or Microwave. The term wireless, as is used in an embodiment of the present invention, is defined by the capability of the system to transmit digital information from one point to another without the use of cable 11.

Regardless of the method of communication used to transmit digital information, or the technology used to scan source document 7, the methodology of the present invention is the same in scope and purpose, that is, to scan URL 13 and transmit information directly to computer 15 without copying, typing, or performing other steps which could introduce human error.

Onc advantage of using MICR technology is that URL 13 is both machine and human readable. In the event of system breakdown, human input could be used. Also, magnetic ink printers are now commercially available, and magnetic ink, toner, and other accessories are more readily available than they were in the past. This could allow advertisers a smaller capital investment in printing costs than might be the case with newer technologies.

Another advantage illustrated in Fig. 3 is the wireless mode of communication used to transmit scanned information to computer 15. Wireless communication could be utilized when working in a network environment where this form of communication is standard. This form of communication could also be used in an embodiment where the presence of a cable might be inconvenient.

The software used in conjunction with various embodiments of the present invention may be slightly modified to interface with each case where different technologies are used, however, the scope and purpose of the software would remain the same as described in Fig. 2. For example; an embodiment described with reference to Fig. 3 would not require the URL conversion process described in step 19 of Fig. 2, however, the remaining software would function as intended.

Fig. 4 is an illustration of an embodiment of the present invention wherein source document 7 is a television advertisement, and data collection device 9 is an interactive tool, much like a joy stick available with interactive computer games. Circuitry may be incorporated into the television set which allows the URL 13 to be recognized by a remote receiver in data collection device 9. The information is then transmitted to computer 15 via cable 11..

5

10

15

20

25

As more companies progress from local advertising in print media to national advertising in television media, URL's 13 will be incorporated into television commercials, programs, and infomercials. The likelihood of human error involved in copying and transporting URL 13 from a television is even greater than it is from print. URL 13 is displayed on the television screen only temporarily, making it difficult to remember and write down. Even when a viewer may have pen in hand, the time required to physically write URL 13 on paper is limited to the time that it is displayed on the screen, causing the user to write hurriedly, perhaps resulting in missed symbols or illegible characters. Advertisers would benefit enormously by having their URL's 13 automatically transmitted safely into a users computer, thereby eliminating lost business caused by human error.

It will be apparent to one with skill in the art that there are many embodiments both unique and advantageous that might be created, and changes that might be made to said embodiments, without departing from the spirit and scope of the present invention. Many such variations have already been described above.

#### What is claimed is:

5

10

15

20

25

30

1. A method for providing a Universal Resource Locators (URL) comprising a character string to a computer user, comprising steps of:

PCT/US98/04204

- (a) converting the character string to a machine-readable indicia; and
- (b) presenting the machine-readable indicia in a visible media available to the computer user.

2. The method of claim 1 wherein the machine-readable indicia is a bar code, and the bar code is provided on a printed presentation.

- 3. The method of claim 1 wherein the machine-readable indicia is a bar code, and wherein the bar code is presented in at least one frame of a television presentation.
- 4. The method of claim 1 wherein the URL is converted to a numeric code of fewer numerals than the number of characters of the character string of the URL, and the numeric code is converted into machine-readable indicia and presented in a visible media.
  - 5. The method of claim 4 wherein the machine-readable indicia is a bar code.
  - 6. The method of claim 1 wherein the machine-readable indicia is the URL character string printed in magnetic ink.
- 7. A method for acquiring a Universal Resource Locator (URL) for a browser application on a computer, comprising steps of:

- 11 -

5

15

20

30

WO 98/40823 PCT/US98/04204

(a) reading the URL from a visible media with a machine-reader; and

- (b) storing the URL in a file accessible to the browser application.
- 8. The method of claim 7 wherein the URL in visible media is a bar code and the machine-reader is a bar code reader.
- 9. The method of claim 7 wherein the URL in visible media is a character string printed in magnetic ink, and the machine-reader is a magnetic character reader.
  - 10. A system for directing a Web-browser application running on a computer having an Internet connection to load and display a WEB page from an Internet Server, comprising steps of:
  - (a) acquiring a Universal Resource Locator (URL) for the WEB page by reading the URL from a visible media with a machine-reader having a communication link to the computer;
  - (b) providing the URL to a browser application running on the computer: and
  - (c) directing the browser to connect to Internet Server over the Internet connection and to download and display the WEB page.
- 11. The method of claim 10 wherein the machine-reader is a bar codereader and the URL is a bar code representing the URL.
  - 12. The method of claim 10 wherein the machine-reader is a magnetic character reader, and the URL is provided in magnetic ink in print media.


WO 98/40823 PCT/US98/04204 - 12 -


13. A method for acquiring a Universal Resource Locator (URL) for use in directing a WEB browser application to download and display a WEB page, comprising steps of:

(a) reading a numeric code in visible media with a machinereader connected to a computer running a WEB browser application;


5


- (b) connecting to an Internet Server having a table of (URLs associated with numeric codes; and
- (c) retrieving and storing the URL associated with the numeric code from the table.
- 14. The method of claim 13 comprising a further step (d) directing the computer to connect to the Internet Server having a WEB page associated with the URL and to download and display the WEB page.





SUBSTITUTE SHEET (RULE 26)





 $Fig.\ 4$  SUBSTITUTE SHEET (RULE 26)

#### INTERNATIONAL SEARCH REPORT

International application No. PCT/US98/04204

		<b>ii</b>				
A. CLASSIFICATION OF SUBJECT MATTER IPC(6) :G06F 13/00						
US CL : Please See Extra Sheet.  According to International Patent Classification (IPC) or to both national classification and IPC						
B. FIELDS SEARCHED						
	umentation searched (classification system followed	by classification symbols)	•			
U.S. : 39	5/200.33, 200.38, 200.47. 200.48, 200.49, 200.55,	200.56, 200.57, 200.59, 200.75				
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched						
Electronic dat	a base consulted during the international search (nar	ne of data base and, where practicable,	search terms used)			
APS, DIAI	OG r uniform)resource locator(s), URL, bar code(s), int	ernet				
c. pocu	MENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.			
,	HUDETZ, FRANK, SYSTEM FOR COMMERCE TO ACCESS REM WO97/01137, JANUARY 1997, page 429-35, page 15, lines 16-28, page 16, lines 15-18, page 18, lines 3-10, page 6-37, page 22, lines 1-4.	OTE COMPUTER, PCT 1, lines 13-24, page 14, lines line 36, page 17, lines 1-2,	1-14			
	US 5,640,193 A (WELLNER) 17 June 4, lines 29-45, lines 58-60, col 7, lines 10.		1-6			
Furthe	r documents are listed in the continuation of Box C	See patent family annex.				
• Spec	ial categories of cited documents:	*T leter document published after the int				
	ment defining the general state of the art which is not considered	date and not in conflict with the applic principle or theory underlying the in-				
1	e of particular relevance or document published on or after the international filing date	"X" document of particular relevance; the				
*L* docu	ment which may throw doubts on priority claim(s) or which is to establish the publication date of another citation or other	considered novel or cannot be considered novel or cannot be considered when the document is taken alone  "Y"  document of particular relevance; the	,			
· ·	ial resson (as specified)  ment referring to an oral disclosure, use, exhibition or other  os	considered to involve an investive combined with one or more other suc being obvious to a person skilled in t	step when the document is the documents, such combination			
"P" document published prior to the international filing data but later than "&" document snember of the same patent family the priority data claimed						
Date of the actual completion of the international search  Date of mailing of the international search report						
18 JUNE 1	18 JUNE 1998 Z 4 AUG 1998					
Commission Box PCT	ailing address of the ISA/US er of Patents and Trademarks D.C. 20231	MOUSTAFA M. MEKY	m Pull			
1	703) 305-3230	Telephone No. (703) 305-9697				

# INTERNATIONAL SEARCH REPORT

21,05

International application No. PCT/US98/04204

A. CLASSIFICATION OF SUBJECT MATTER: US CL:						
395/200.33, 200.38, 200.47. 200.48, 200.49, 200.55, 200.56, 200.57, 200.59, 200.75						
	•					
·						
·						

Form PCT/ISA/210 (extra sheet)(July 1992)\*